



रिफ़ाइनरी प्रभाग  
Refineries Division

इंडियन ऑयल कॉर्पोरेशन लिमिटेड

बोंगाइगॉय रिफ़ाइनरी

एकपपर : बालीगौर - 783 385

पिडा : चिलंग (असम)

Indian Oil Corporation Limited

Bongaigaon Refinery

PO, Bongaigaon, Dist. Chiling, Assam-783385

Phone : 03664

E-mail :

Website : www.iocl.com FAX : 03664



REF: IOC/BGR/ENV/DHDT/MoEF&CC/2018-19 /01

Date: 20.12 2018

To

The Chief Conservator of Forests  
Ministry of Environment & Forests & Climate Change  
Regional Office, North East Region  
Law-U-SIB, Lumbatngen, Near M.T.C. Workshop,  
Shillong – 793021

Subject: Half yearly Report for the period of (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018) for  
Diesel Hydro Treatment Plant

Dear Sir,

With reference to above, we are enclosing the Six Monthly Report for the period of 1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018 for your kind perusal. The reports are being sent as per EIA Rules 2006 on the "Environmental Clearances" issued by MoEF&CC to Bongaigaon Refinery (BGR), for "Diesel Hydro Treatment Project".

Thanking you,

Yours faithfully,

(A. Basumatary)  
DGM (HSE)

Copy to

1. Member Secretary, Pollution Control Board, Assam  
Bamunimaidam, Guwahati - 781 021
2. Zonal Officer, Central Pollution Control Board  
Eastern Zonal Office, 'TUM-SIR', Lower Motinagar,  
Near Fire Brigade H Q, Shillong – 793014

# Half yearly Report for “Diesel Hydro Treatment Plant”

For the period (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)



Submitted by:

**Indian Oil Corporation Limited**

**Bongaigaon Refinery**

**PO: Dhaligaon. District: Chirang. Assam**

## **Diesel Hydro-treatment Project,**

MoEF letter No. J.11011/78/2001-IA-II (I) dated 25/06/2002.  
Renewal of "Environment Clearance" by MoEF on 01.05.2006

### **Six Monthly Status Report for the period: (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)**

#### **INDEX:**

| <b>Sl. No</b> | <b>Conditions</b>  | <b>Status</b>               |
|---------------|--|-----------------------------|
| 1.            | Specific & General conditions Compliance status of Diesel Hydrotreatment Project.                            | Annexure- A                 |
| 2.            | Six monthly Stack Monitoring/ Air Quality Data   | Furnished in Appendix-A1    |
| 3.            | Six monthly effluent discharged quantity,Quality   | Furnished in Appendix-A2    |
| 4.            | Tree Plantation Data   | Furnished in Appendix-A3    |
| 5.            | Additional Information   | Furnished in Appendix-A4    |
| 6.            | Quarterly Fugitive Emission Reports.   | Furnished in Appendix-A5    |
| 7.            | Annual return of hazardous waste   | Furnished in Appendix-A6(a) |
| 8.            | Authorization from PCBA under Hazardous Waste ( Management , Handling and Transboundary Movement Rules 2008) | Furnished in Appendix-A6(b) |
| 9.            | Details of Waste water treatment and disposal system   | Furnished in Appendix-A7    |
| 10.           | Quarterly Noise Survey Reports.  | Furnished in Appendix-A8    |
| 11.           | Status of Rainwater Harvesting   | Furnished in Appendix-A9    |
| 12.           | Screen Shot of IOCL Website upload of report   | Furnished in Appendix-A10   |
| 13.           | Organogram of HSE Department   | Furnished in Appendix-A11   |
| 14.           | Gazette Notification of BGR Quality Control laboratory (QC Lab) approval under Environment (Protection) Act  | Furnished in Appendix-A12   |
| 15.           | Employees Occupational Health Check up Status  | Furnished in Appendix-A13   |
| 16.           | Flare system.  | Furnished in Appendix-A14   |

## ANNEXURE-A:

| Sr. No | Specific Conditions   | Compliance Status  |
|--------|---|--|
| i      | The company must comply with conditions and safeguards stipulated by the Ministry while granting environmental clearance to the refinery expansion project expansion project vide Ministry's OM No. J-11011/24/90-IA II (I) dated 3 <sup>rd</sup> June 1991 | All conditions of the clearance are complied and verified by statutory agencies time to time.<br><br>(Please Refer to compliance report of Refinery Expansion Project.)  |
| ii     | A comprehensive risk assessment study for the complex must be undertaken and report submitted to the Ministry before commissioning of the Diesel hydro-treatment project.   | <ol style="list-style-type: none"> <li>1. Rapid Risk Analysis (RRA) was carried by M/s EIL in September'2006, and a copy of the report was also submitted to your good office vide our letter No. BRPL/ENV/MS-MAX/06-07/03 dated 08.11.2006.</li> <li>2. Comprehensive Risk Assessment was conducted by M/s Chilworth Technology Pvt. Ltd. was submitted on 11.10.2010.</li> <li>3. Post commissioning, fresh CRA was carried out by M/S CGC Converse Technologies in 2016.</li> </ol>         |
| iii    | The company must formulate and firm up a scheme/action plan for handling the oily sludge which is presently being disposed off into the oil sludge lagoon. The firmed up plan must be submitted to the Ministry within one year.                            | M/s Balmer Lawrie & Co. Limited was awarded the contract of mechanized processing of oily sludge.<br><br>A confined bio reactor was commissioned in <b>July 2017</b> in association with IOCL R&D to treat oily sludge. During April'18- Sep'18, 224 MT of oily sludge has been processed in the Bio- reactor.   |
| iv     | The project proponent shall also comply with all the environmental protection measures to mitigate the risks including the following:   | Taken care of all the environmental protection measures and safeguards recommended in the EMP and risk analysis report and also revised CPCB guidelines etc. in design stage itself.   |
| v      | a. Provision of double mechanical seal for the pumps handling H <sub>2</sub> S to reduce the frequency of failure   | Taken care of in design stage & available in process data sheets of respective pumps in BDEPs.   |
|        | b. Provision of adequate no. of H <sub>2</sub> S detector (s) in appropriate locations of the plant for early detection of the leak so that the release duration and hence the hazardous consequence is reduced.  | Following no. of H <sub>2</sub> S detectors along with HC/H <sub>2</sub> detectors provided in various process units under DHDT project as on 31 <sup>st</sup> Dec'2018.<br>DHDT : (HC = 7, H <sub>2</sub> S = 5, H <sub>2</sub> = 9)<br>HGU : (HC = 10, CO = 4, H <sub>2</sub> = 4)<br>ARU : (H <sub>2</sub> S = 7 & HC=1)<br>SWSU : (H <sub>2</sub> S=6 & HC=1)<br>SRU : (H <sub>2</sub> S=14, HC=3 & H <sub>2</sub> =2)<br>DHDT-Utility Area: (H <sub>2</sub> S=3, HC=8, H <sub>2</sub> = 3 |
|        | c. Provision of emergency stop button for rich amine group in the control room to stop the pump.  | Taken care of in design stage & indicated in respective P&IDs.   |

| Sr. No. | Specific Conditions  | Compliance Status  |
|---------|--|--|
| vi      | Government of Assam (Dept. of Forest and Wildlife), must prepare a contingency plan to mitigate the adverse impact of the increased human activities on the wildlife habitat around the refinery, mainly w.r.t. Golden Langur. Funds for implementing mitigation strategies should be provided by the company. The refinery should also arrange to provide free gas to the villagers residing within Kakijana reserved forests as well as residents of Hapachara, Garegaon, Gorapara, Rabhapura and Chitkagaon, so that felling of trees for fuel wood is reduced .A comprehensive Action Taken Repot should be submitted within one year. | BGR requested to MoEF for exemption of these conditions vide letter no. ENV/STAT/01/01 dated 31.07.2002.<br><br>However, BGR has planted 2000 sapling near Rabhapara in the Golden Langur reserved forest. Plantation of another 1000 sapling is under progress. |

| Sr. No. | General Conditions   | Compliance Status  |
|---------|--|--|
| i       | The project authority must adhere to the stipulations made by Assam State Pollution Control Board and State Government.  | Stipulations made in the environmental clearance of the project are being addressed during detailed engineering also. The same has been addressed in the Basic Engineering Design Package, wherever applicable.  |
| ii      | No expansion or modification of the plant should be carried out without prior approval of this Ministry.   | Noted  |
| iii     | Handling, manufacturing, storage and transportation of hazardous chemicals should be carried out in accordance with the Manufacturing, storage and transportation of hazardous chemicals Rules, 1989, as amended in 1991. Permission from State and Central nodal agencies in this regard must be obtained.  | Complied.<br>Authorization under Hazardous Waste (Management, Handling & Trans-boundary Movement Rules 2008) obtained from PCBA and valid up to 28th February 2019.<br><br>Annual Return of Hazardous waste is attached as <b>Appendix - A6(a)</b> .<br>Authorization from PCBA is attached as <b>Appendix - A6(b)</b> .   |
| iv      | Hazardous wastes, if any, must be handled and disposed as per Hazardous waste (Management and handling) Rules, 2008. Authorization from State Pollution Control Board in this regard must be obtained.   | Complied.<br><br>Authorization from PCBA for Hazardous and Other Waste (Management, Handling and Trans-boundary Movement <b>Rules 2008</b> ) is attached as <b>Appendix – A6 (b)</b> .   |
| v       | Adequate provisions for infrastructure facilities such as water supply, fuel, sanitation etc. should be ensured for construction workers during the construction phase so as to avoid felling of trees and pollution of water and the surrounding.   | Infrastructure facilities like water supply, canteen facility, sanitation were provided during the project construction period to the workers.   |
| vi      | The overall noise levels in and around the plant area should be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc, on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time). | (a) Taken care of in design stage and mentioned in process data sheets for various equipments wherever applicable in BDEPs.<br>(b) All precautionary measures are taken at the construction site to control the noise level & present activities do not generate noise of high db. However quarterly noise survey is regularly conducted.<br>(c) Taken care during implementation of the project. Quarterly Noise Survey is being carried out regularly. Quarterly Reports for the period of <b>1<sup>st</sup> October 2017 to 31<sup>st</sup> March 2018 are attached as Appendix A8.</b> |

| Sr.No. | General Conditions  | Compliance Status   |
|--------|---|---|
| vii    | Occupational health Surveillance of the workers should be done on a regular basis and records maintained.   | Complied. <b>Attached as Appendix A13</b>   |
| viii   | A separate environmental management cell with full fledged laboratory facilities to carry out various management and monitoring functions should be set up under the control of Senior Executive.   | BGR is having a separate environmental management cell of HSE department and full-fledged laboratory to carry-out environment management and monitoring functions.<br><b>Organogram of HSE Department is attached as Appendix-A11.</b><br><b>BGR</b> Quality Control laboratory (QC Lab) is NABL accredited and CPCB approved under Section 12& 13 of Environment (Protection) Act 1986 and notified in the Govt. of India Gazette no. 272 dated July 4, 2016 vide notification number Legal 42(3)/ 87 dated 7th March 2016. <b>(Copy attached as Appendix-A12)</b> |
| ix     | The funds earmarked for the environmental protection measures should be reported to this Ministry and SPCB.   | Expenditure for the financial year 2017-18 was Rs.534.43 Lacs and budget estimate for 2018-19 is Rs 600 Lacs.   |
| x      | Six monthly status report on the project vis-a-vis Implementation of environmental measures should be submitted to this Ministry (Regional Office, Shillong/ CPCB/ SPCB).   | Complied.<br>Last six monthly compliance report along with soft copy was submitted vide, <b>IOC/BGR/ENV/DHDT/MoEF&amp;CC/2017-18/01, Date: 20.12.2017.</b> The six monthly compliance report was also displayed on the Website of the Company.<br><b>Screen shot attached as Appendix A10</b>   |
| xi     | The project proponent should advertise in at least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with State Pollution Control Board/Committee and may also be seen at Website of the Ministry and Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should forwarded to Ministry's Regional Office at Shillong. | Complied.   |
| xii    | The Project Authorities should inform the Regional Office as well as the Ministry the date of financial closer and final approval of the project by the concerned authorities and the date of land development work.  | Board of Directors of the Company has approved revised cost estimate of <b>Rs.1701.52</b> Crore. Last capitalization date is 06.06.2015. The initial capitalization date is 13.08.2011 (Original approved cost is Rs. 1431.91 crore) for this project on 28th May, 2008.<br><br>Financial closure of DHDT Project is not complete because of some pending issues of GTG package, which is part of DHDT Project, financial closure of DHDT Project is not yet complet  |

| Sr. No | <b>CONDITIONS (As given in concurrence to changes in Env. Clearance dated May 1, 2006)</b>   |   |
|--------|--|---|
| i      | The total SO <sub>2</sub> emission level from the unit after the proposed up gradation shall not exceed 40 kg/MT of the feed.                                      | Taken care in design stage itself.  |
| ii     | The company shall comply with the revised standards of NO <sub>x</sub> emission.   |   |
| iii    | The total effluent generation shall not exceed 7.9 m <sup>3</sup> /hr The fresh water consumption shall not exceed 275 m <sup>3</sup> /hr.                         |   |
| iv     | No further modernization of project shall be carried out without prior permission of this Ministry.  | <p>EC was granted by MoEF&amp;CC to BGR for IndMax &amp; BS-VI projects vide letter <b>F. no.J11011/48/2016-IA-II (I), Dated 19<sup>th</sup> Apr'2017.</b></p> <p><b>The project aims to enhance expansion of Crude processing from 2.35 to 2.7 MMTP, DHDT capacity from 1.2 to 1.8 MMTP, HGU from 25 KTPA to 30 KTPA, CRU-MSQ revamp and SDS unit.</b></p> |
| v      | The company shall comply with the conditions stipulated in the clearance order of even no. dated 25 <sup>th</sup> June, 2002.                                      | Complied.   |
| vi     | The company shall carry out a comprehensive risk assessment study and a copy submitted to the Ministry before commissioning of the Diesel Hydro Treatment Project. | <p>M/s. Chilworth Technology Pvt. Ltd., New Delhi submitted Final report of Comprehensive Risk Assessment (CRA) on 11.10.2010.</p> <p><b>Fresh CRA study has also been conducted thru' outsourced M/s. CGC Techno Lab Pvt. Ltd, Hyderabad. Final Report received in June, 2016.</b></p>   |

## **Status of Diesel Hydro-Treatment Project**

**(1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)**

**Environmental Clearance for Diesel Hydro-treatment Project,  
MoEF's Letter No. J.1101/78/ 2001- IA- II (I) dated 25/06/2002**

### **Status:**

Following are some of the important mile stones towards implementing of the project:

#### **1. Renewal of "Environment Clearance" from the Ministry of Environment & Forests:**

The Ministry of Environment & Forests had conveyed its 'No Objection' to the proposed revised Diesel up gradation project at Indian Oil - Bongaigaon Refinery vide their letter No.J-1101/78 /2001- IA 11(1) dated 01.05.2006.

#### **2. Renewal of "NOC" from State Pollution Control Board:**

Pollution Control Board of Assam had renewed the NOC vide their letter No. WB/Z-II/T-1 345/2000-2001/138 Dated Guwahati, the 8th May, 2006

#### **3. Board approval for Project:**

Board of Directors of IOCL has approved revised cost estimate of **Rs.1701.52** Crore (original approved cost is Rs. 1431.91 crore) for this project.

#### **4. Fresh REIA & RRA Study:**

REIA & RRA study for the project was carried out by M/s EIL, New Delhi. Final report was submitted in September, 2006.

Further, HAZOP study for DHDT unit (13.12.06 to 22.12.06), Sulfur Block (15.01.07 to 24.01.07), HGU (08.10.07 to 12.10.07) and OSBL Utilities & Off sites (16.10.07 to 17.10.07) completed and reports submitted by EIL on 04.01.07, 17.02.07, 27.10.07 & 31.10.07 respectively.

Fresh HAZOP study completed by **Asia Pacific Risk Management Services Pvt. Ltd in February 2014**

**Further, Fresh EIA & RRA for New Projects conducted in 2015-16 by M/s ABC Techno Lab Pvt. Ltd, Chennai**

#### **1. Commissioning of various units under DHDT project:**

- a) All the utilities & off sites viz. LP steam, MP steam, VHP steam, Service Water, DM water, Drinking water, Nitrogen, Process Air, Inst. Air, CK, Slop, GO, FG lines commissioned
- b) H<sub>2</sub> unloading & Storage facility along with H<sub>2</sub> unloading Compressor commissioned
- c) All the Seven Feed tanks commissioned
- d) Nitrogen Plant & Flare System commissioned
- e) Hydrogen Generation Unit (HGU) commissioned in March, 2011
- f) Diesel Hydro Treatment (DHDT) Unit has been commissioned in August, 2011.
- g) Amine Absorption Unit & Sour Water Stripping Unit commissioned
- h) Sulfur Recovery Unit (SRU) commissioned in December, 2012.
- i) Gas Turbine Generator (GTG) with Heat Recovery Steam Generator (HRSG) commissioned in May, 2013.



## 3.0

## APPENDIX –A1

STACK MONITORING DATA: (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)A. SO<sub>2</sub> Emission (mg/Nm<sup>3</sup>):

| Stacks        | Emission Std.                    | Observed value |      |     |
|---------------|----------------------------------|----------------|------|-----|
|               |                                  | Min            | Avg. | Max |
| CDU-I         | For F.O. = 1700<br>For F.G. = 50 | 73             | 258  | 686 |
| CDU-II        |                                  | 5              | 267  | 511 |
| DCU-I         |                                  | 82             | 371  | 884 |
| DCU-II        |                                  | 8              | 235  | 602 |
| CPP           |                                  | 32             | 138  | 374 |
| Reformer      |                                  | 10             | 107  | 359 |
| HO-1          |                                  | 2.3            | 23   | 57  |
| Isomerisation |                                  | 6              | 17   | 77  |
| DHDT          |                                  | 3              | 22   | 270 |
| HGU           |                                  | 2              | 4    | 9   |
| SRU           |                                  | 89             | 184  | 650 |
| GTG           |                                  |                | 8    | 27  |

B. NO<sub>x</sub> Emission (mg/Nm<sup>3</sup>):

| Stacks        | Emission Std.                    | Observed value |      |     |
|---------------|----------------------------------|----------------|------|-----|
|               |                                  | Min            | Avg. | Max |
| CDU-I         | For F.O. = 450<br>For F.G. = 350 | 86             | 87   | 87  |
| CDU-II        |                                  | 21             | 164  | 266 |
| DCU-I         |                                  | 20             | 39   | 72  |
| DCU-II        |                                  | 52             | 198  | 445 |
| CPP           |                                  | 32             | 102  | 393 |
| Reformer      |                                  | 22             | 102  | 199 |
| HO-1          |                                  | 3              | 6    | 9   |
| Isomerisation |                                  | 16             | 39   | 61  |
| DHDT          |                                  | 2              | 97   | 268 |
| HGU           |                                  | 7              | 14   | 34  |
| SRU           |                                  | No Analyser    |      |     |
| GTG           |                                  |                | 27   | 61  |

C. PM Emission (mg/Nm<sup>3</sup>):

| Stacks        | Emission Std.                   | Observed value |      |       |
|---------------|---------------------------------|----------------|------|-------|
|               |                                 | Min            | Avg. | Max   |
| CDU-I         | For F.O. = 100<br>For F.G. = 10 | 1.1            | 2.4  | 3.6   |
| CDU-II        |                                 | 0.1            | 4.5  | 12.8  |
| DCU-I         |                                 | 1.0            | 2.4  | 3.7   |
| DCU-II        |                                 | 0.2            | 8.9  | 86.4  |
| CPP           |                                 | 2.6            | 3.0  | 3.7   |
| Reformer      |                                 | 0.2            | 0.2  | 4.6   |
| HO-1/2        |                                 | 0.6            | 1.2  | 3.3   |
| Isomerisation |                                 | 0.3            | 6.1  | 13.7  |
| DHDT          |                                 | 0.7            | 2.3  | 5.6   |
| HGU           |                                 | 0.3            | 2.3  | 4.8   |
| SRU           |                                 | 17.2           | 35.0 | 133.0 |
| GTG           |                                 |                | 1.3  | 6.9   |

**STACK MONITORING DATA :( 1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)**

**D. CO Emission (mg/Nm<sup>3</sup>)**

| Stacks        | Emission Std.                    | Observed value |      |       |
|---------------|----------------------------------|----------------|------|-------|
|               |                                  | Min            | Avg. | Max   |
| CDU-I         | For F.O. = 200<br>For F.G. = 150 | 0.1            | 4.2  | 15.4  |
| CDU-II        |                                  | 1.8            | 26.8 | 312.0 |
| DCU-I         |                                  | 2.2            | 5.3  | 18.4  |
| DCU-II        |                                  | 0.2            | 56.7 | 135.5 |
| CPP           |                                  | 1.2            | 14.6 | 30.4  |
| Reformer      |                                  | 0.5            | 9.9  | 19.0  |
| HO-1/2        |                                  | 0.5            | 9.9  | 20.7  |
| ISOMERISATION |                                  | 0.3            | 9.9  | 19.0  |
| DHDT          |                                  | 1.0            | 7.0  | 13.9  |
| HGU           |                                  | 6.5            | 16.2 | 18.0  |
| SRU           |                                  | 0.9            | 16.9 | 18.8  |
| GTG           |                                  | 2.3            | 3.9  | 4.9   |

**E. Ni + V Emission (mg/Nm<sup>3</sup>):**

| Stacks        | Emission Std. | Observed value |      |     |
|---------------|---------------|----------------|------|-----|
|               |               | Min            | Avg. | Max |
| CDU-I         | For F.O. = 5  | BDL            | BDL  | BDL |
| CDU-II        |               | BDL            | BDL  | BDL |
| DCU-I         |               | BDL            | BDL  | BDL |
| DCU-II        |               | BDL            | BDL  | BDL |
| CPP           |               | BDL            | BDL  | BDL |
| Reformer      |               | BDL            | BDL  | BDL |
| HO-1/2        |               | BDL            | BDL  | BDL |
| ISOMERISATION |               | BDL            | BDL  | BDL |
| DHDT          |               | BDL            | BDL  | BDL |
| HGU           |               | BDL            | BDL  | BDL |
| SRU           |               | BDL            | BDL  | BDL |
| GTG           |               | BDL            | BDL  | BDL |

**AMBIENT AIR QUALITY AROUND BGR COMPLEX**  
(Average of monthly sample Schedule – VII)  
(1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)

|          | Station   | Continuous Monitoring Station | Near Tube Well No.14 | Near LPG Bottling plant | Rural Health Centre | Bartala Rail Gate | Near TW No.7 in Township |
|----------|---|-------------------------------|----------------------|-------------------------|---------------------|-------------------|--------------------------|
| <b>1</b> | <b>SO<sub>2</sub> (Std. 50/80 µg/m<sup>3</sup>)</b> |                               |                      |                         |                     |                   |                          |
|          | Min   | 0.03                          | 4.80                 | 4.20                    | 4.50                | 4.20              | 5.00                     |
|          | Average   | 8.36                          | 6.25                 | 6.25                    | 6.67                | 6.31              | 5.92                     |
|          | Max   | 46.83                         | 7.80                 | 7.80                    | 8.50                | 8.50              | 6.50                     |
|          | No. of observation                                  | Continuous                    | 55                   | 55                      | 55                  | 55                | 55                       |
| <b>2</b> | <b>NO<sub>2</sub> (Std. 40/80 µg/m<sup>3</sup>)</b> |                               |                      |                         |                     |                   |                          |
|          | Min   | 3.38                          | 9.20                 | 9.20                    | 9.20                | 9.20              | 9.20                     |
|          | Average   | 7.72                          | 11.20                | 11.19                   | 12.04               | 11.12             | 10.74                    |
|          | Max   | 13.47                         | 13.50                | 13.50                   | 15.20               | 13.80             | 11.80                    |
|          | No. of observation                                  | Continuous                    | 55                   | 55                      | 55                  | 55                | 55                       |
| <b>3</b> | <b>PM-10 (Std. 60/100 µg/m<sup>3</sup>)</b>         |                               |                      |                         |                     |                   |                          |
|          | Min   | 49.1                          | 16.0                 | 34.0                    | 40.0                | 38.0              | 30.0                     |
|          | Average   | 53.9                          | 52.3                 | 52.0                    | 59.3                | 56.7              | 45.9                     |
|          | Max   | 59.6                          | 70.0                 | 70.0                    | 78.0                | 74.0              | 62.0                     |
|          | No. of observation                                  | Continuous                    | 55                   | 55                      | 55                  | 55                | 55                       |
| <b>4</b> | <b>PM-2.5 (Std. 40/60 µg/m<sup>3</sup>)</b>         |                               |                      |                         |                     |                   |                          |
|          | Min   | 3.1                           | 16.0                 | 15.0                    | 18.0                | 18.0              | 14.0                     |
|          | Average   | 12.8                          | 24.9                 | 24.6                    | 28.3                | 27.1              | 21.5                     |
|          | Max   | 48.8                          | 34.0                 | 34.0                    | 38.0                | 36.0              | 30.0                     |
|          | No. of observation                                  | Continuous                    | 55                   | 55                      | 55                  | 55                | 55                       |
| <b>5</b> | <b>Ammonia (Std. 100/400 µg/m<sup>3</sup>)</b>      |                               |                      |                         |                     |                   |                          |
|          | Min   | 3.02                          | 6.80                 | 6.20                    | 6.50                | 5.80              | 8.00                     |
|          | Average   | 5.24                          | 9.89                 | 9.69                    | 9.79                | 9.71              | 9.67                     |
|          | Max   | 13.77                         | 12.80                | 12.80                   | 12.80               | 12.50             | 11.80                    |
|          | No. of observation                                  | Continuous                    | 55                   | 55                      | 55                  | 55                | 55                       |
| <b>6</b> | <b>Pb (Std. 0.5/1.0 µg/m<sup>3</sup>)</b>           |                               |                      |                         |                     |                   |                          |
|          | Min   |                               | BDL                  | BDL                     | BDL                 | BDL               | BDL                      |
|          | Average   |                               | BDL                  | BDL                     | BDL                 | BDL               | BDL                      |
|          | Max   |                               | BDL                  | BDL                     | BDL                 | BDL               | BDL                      |
|          | No. of observation                                  |                               | 55                   | 55                      | 55                  | 55                | 55                       |

|           |  |            |      |      |      |      |      |
|-----------|--|------------|------|------|------|------|------|
| <b>7</b>  | <b>Arsenic (As) (Std. 6 ng/m<sup>3</sup>)</b>              |            |      |      |      |      |      |
|           | Min  |            | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | Average  |            | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | Max  |            | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | No. of observation   |            | 55   | 55   | 55   | 55   | 55   |
| <b>8</b>  | <b>Ni (Std. 20 ng/m<sup>3</sup>)</b>                       |            |      |      |      |      |      |
|           | Min  |            | BDL  | 1.50 | 1.40 | 1.20 | BDL  |
|           | Average  |            | BDL  | 1.95 | 2.24 | 2.03 | BDL  |
|           | Max  |            | BDL  | 2.20 | 3.50 | 2.80 | BDL  |
|           | No. of observation   |            | 55   | 55   | 55   | 55   | 55   |
| <b>9</b>  | <b>CO (Std. 2/4 mg/m<sup>3</sup>)</b>                      |            |      |      |      |      |      |
|           | Min  | 0.01       | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | Average  | 0.24       | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | Max  | 1.00       | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | No. of observation   | Continuous | 55   | 55   | 55   | 55   | 55   |
| <b>10</b> | <b>Ozone (Std.100/180 µg/m<sup>3</sup> for 8 hrs/1 hr)</b> |            |      |      |      |      |      |
|           | Min  | 21.0       | 14.0 | 12.0 | 12.0 | 14.0 | 12.0 |
|           | Average  | 30.8       | 19.7 | 18.8 | 20.0 | 20.1 | 18.4 |
|           | Max  | 40.8       | 25.0 | 24.0 | 26.0 | 25.0 | 22.0 |
|           | No. of observation   | Continuous | 55   | 55   | 55   | 55   | 55   |
| <b>11</b> | <b>Benzene (Std. 5 µg/m<sup>3</sup>)</b>                   |            |      |      |      |      |      |
|           | Min  | 0.30       | BDL  | 0.15 | BDL  | BDL  | BDL  |
|           | Average  | 0.36       | BDL  | 0.15 | BDL  | BDL  | BDL  |
|           | Max  | 0.43       | BDL  | 0.15 | BDL  | BDL  | BDL  |
|           | No. of observation   | Continuous | 55   | 55   | 55   | 55   | 55   |
| <b>12</b> | <b>Benzo (a) Pyrene (Std. 1 ng/m<sup>3</sup>)</b>          |            |      |      |      |      |      |
|           | Min  |            | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | Average  |            | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | Max  |            | BDL  | BDL  | BDL  | BDL  | BDL  |
|           | No. of observation   |            | 55   | 55   | 55   | 55   | 55   |

**Average of Six Stations**

| Parameter      | SO <sub>2</sub>   | NO <sub>2</sub> | PM-10  | PM-2.5 | NH <sub>3</sub> | Pb      | As                | Ni     | Benzo (a) Pyrene | CO                | C <sub>6</sub> H <sub>6</sub> | O <sub>3</sub> |
|----------------|-------------------|-----------------|--------|--------|-----------------|---------|-------------------|--------|------------------|-------------------|-------------------------------|----------------|
| Unit           | µg/m <sup>3</sup> |                 |        |        |                 |         | ng/m <sup>3</sup> |        |                  | mg/m <sup>3</sup> | µg/m <sup>3</sup>             |                |
| NAAQ Std. 2009 | 50/80             | 40/80           | 60/100 | 40/60  | 100/400         | 0.5/1.0 | Max 6             | Max 20 | Max 1            | 2/4               | Max 5                         | 100/180        |
| Min            | 0.03              | 3.4             | 16.00  | 3.1    | 3.0             | BDL     | BDL               | 1.2    | BDL              | 0.01              | 0.15                          | 5.8            |
| Average        | 6.63              | 10.7            | 53.4   | 23.2   | 10.7            | BDL     | BDL               | 2.1    | BDL              | 0.24              | 0.25                          | 19.6           |
| Max            | 46.83             | 15.2            | 78.0   | 48.8   | 25.0            | BDL     | BDL               | 3.5    | BDL              | 1.00              | 0.43                          | 40.8           |

## APPENDIX-A2

Effluent Discharged (Figure in M<sup>3</sup>/Hr): (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)

|   |  |       |
|---|--|-------|
| A | Industrial Effluent M <sup>3</sup> /Hr                                 | 171.0 |
| B | Domestic Effluent from BGR Township M <sup>3</sup> /Hr                 | 50.6  |
| C | Total Effluent Treated (A + B) M <sup>3</sup> /Hr                      | 221.6 |
| D | Treated Effluent Reused M <sup>3</sup> /Hr                             | 218.6 |
| E | Effluent Discharged M <sup>3</sup> /Hr                                 | 3.0   |
| F | M <sup>3</sup> of Effluent discharged for 1000 tons of Crude processed | 11.01 |

### 1. Treated Effluent Quality

(1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)

| Sl. No | Parameter  | Std,2008  | Min  | Avg.  | Max   |
|--------|--|-----------|------|-------|-------|
| 1      | p <sup>H</sup> value   | 6.0 - 8.5 | 6.0  | 7.26  | 8.5   |
| 2      | Oil and Grease, mg/l   | 5.0       | 1.0  | 1.88  | 4.6   |
| 3      | Bio-Chemical Oxygen Demand (3 Day at 27°C), mg/l               | 15.0      | 1.6  | 7.3   | 15.0  |
| 4      | Chemical Oxygen Demand (COD), mg/l                             | 125.0     | 8.0  | 53.1  | 100.0 |
| 5      | Suspended solids, mg/l   | 20.0      | 2.0  | 11.5  | 20.0  |
| 6      | Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH), mg/l | 0.35      | 0.01 | 0.105 | 2.8   |
| 7      | Sulphide (as S), mg/l  | 0.50      | 0.04 | 0.132 | 0.48  |
| 8      | CN mg/l  | 0.20      | BDL  | BDL   | BDL   |
| 9      | Ammonia as N, mg/l   | 15.0      | 0.0  | 2.39  | 2.6   |
| 10     | TKN, mg/l  | 40.0      | 0.0  | 5.18  | 7.9   |
| 11     | P, mg/l  | 3.0       | 0.0  | 0.12  | 0.8   |
| 12     | Cr (Hexavalent), mg/l  | 0.10      |      | BDL   |       |
| 13     | Cr (Total), mg/l   | 2.0       |      | BDL   |       |
| 14     | Pb, mg/l   | 0.10      |      | BDL   |       |
| 15     | Hg, mg/l   | 0.01      |      | BDL   |       |
| 16     | Zn, mg/l   | 5.0       |      | 0.31  |       |
| 17     | Ni, mg/l   | 1.0       |      | BDL   |       |
| 18     | Cu, mg/l   | 1.0       |      | 0.06  |       |
| 19     | V, mg/l  | 0.20      |      | BDL   |       |
| 20     | Benzene, mg/l  | 0.10      |      | BDL   |       |
| 21     | Benzo (a) pyrene, mg/l   | 0.20      |      | BDL   |       |

## EFFLUENT QUALITY

### 2. Final Outlet (From the Complex) Effluent Quality

(1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)

| Sl. No. | Parameter  | Std 2008  | Min  | Avg.  | Max   |
|---------|--|-----------|------|-------|-------|
| 1       | p <sup>H</sup> value   | 6.0 - 8.5 | 6.0  | 7.26  | 8.5   |
| 2       | Oil and Grease, mg/l   | 5.0       | 1.0  | 1.88  | 4.6   |
| 3       | Bio-Chemical Oxygen Demand (3 Days at 27° C), mg/l             | 15.0      | 1.6  | 7.3   | 15.0  |
| 4       | Chemical Oxygen Demand (COD), mg/l                             | 125.0     | 8.0  | 53.1  | 100.0 |
| 5       | Suspended Solids, mg/l   | 20.0      | 2.0  | 11.5  | 20.0  |
| 6       | Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH), mg/l | 0.35      | 0.01 | 0.105 | 2.8   |
| 7       | Sulphide (as S), mg/l  | 0.50      | 0.04 | 0.132 | 0.48  |
| 8       | CN, mg/l   | 0.20      | BDL  | BDL   | BDL   |
| 9       | Ammonia as N , mg/l  | 15.0      | 0.0  | 2.39  | 2.6   |
| 10      | TKN, mg/l  | 40.0      | 0.0  | 5.18  | 7.9   |
| 11      | P, mg/l  | 3.0       | 0.0  | 0.12  | 0.8   |
| 12      | Cr (Hexavalent), mg/l  | 0.10      | -    | BDL   | -     |
| 13      | Cr (Total), mg/l   | 2.0       | -    | BDL   | -     |
| 14      | Pb, mg/l   | 0.10      | -    | BDL   | -     |
| 15      | Hg, mg/l   | 0.01      | -    | BDL   | -     |
| 16      | Zn, mg/l   | 5.0       | -    | 0.31  | -     |
| 17      | Ni, mg/l   | 1.0       | -    | BDL   | -     |
| 18      | Cu, mg/l   | 1.0       | -    | 0.06  | -     |
| 19      | V, mg/l  | 0.20      | -    | BDL   | -     |
| 20      | Benzene, mg/l  | 0.10      | -    | BDL   | -     |
| 21      | Benzo (a) pyrene, mg/l   | 0.20      | -    | BDL   | -     |

**Tree Plantation  
(1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)**

The entire area inside BGR covers with Greenery through massive plantation activities. Through massive plantation work and by giving protection to natural forest growth in side BGR premises, the entire area has become green. The entire plant area where processing plant facilities do not exist has a green cover. This helps in reduction of noise and air pollution level in one hand while on the other hand provides protection to ecological features of the area. The refinery has an excellent quality environment around its complex. Natural greenery can be seen all around the complex and in all seasons of the year.

Tree Census was done by Divisional Forest Office, Chirang. As per census, 84545 numbers of plants which include trees including shrubs, ocular estimated 33000 numbers bamboos in 1150 no. bamboo culms and also trees planted by BGR during 2003 to 2012.

**During, 1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018 BGR has planted 14507 nos. of trees**



**WITHIN THE COMPLEX AN OLD DEBRIS YEARD DEVELOPED INTO GREEN BELT. GROTH as on 30.11.18**



**IOCL, BGR TOWNSHIP PLANTATION as on 03.09.2018**



## Tree Plantation 2018-19



**IOCL, BGR TOWNSHIP PLANTATION**



**J N V, BIJNI PLANTATION, 3500 SAPLING PLANTED**

## **APPENDIX – A 4**

### **Additional Information (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)**

Effluent reused during the period was around **98.64 %** of the total effluent treated which includes plant effluent as well as BGR Township sewer.

Under the Leak Detection and Repair programme (LDAR), BGR is conducting quarterly Fugitive Emission Survey. During the period from **1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018**, **23247** potential leaky points checked and **197** Leaky points detected and rectified. By following LDAR programme in true spirit, the company could not only avoid potential loss of **55.17 MT** (approx.) of light Hydrocarbon to the atmosphere through fugitive sources but also able to keep healthy work environment in the plants.

To ensure work area quality and health of equipments, quarterly noise survey was conducted covering all the operating plants, control rooms and ambient surrounding the BGR. During **1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018**, Noise Survey for two quarters of 2018-19 has been completed and no abnormality was reported.

As a measure of Hazardous Waste Management, M/s Ballmer Lawrie & Co. Limited was awarded the contract of mechanized treatment of tank bottom sludge. A new contact has been lined up for processing of accumulated oily sludge, which are stored in the concrete lagoon. Melting pit facility is available for recovering oil from oily sludge.

One old slurry thickener from Petrochemical section was converted to confined space bio-remediation reactor to treat oily sludge with help from IOCL-R&D. The process of bio-remediation started from July 2017 and at present per batch approximately 35 m<sup>3</sup> of oily sludge is being processed. From April'18 to Sept'18, 224 MT of oily sludge has been processed in the Bio-reactor.



**BIO-REMEDIATION FACILITY OF BGR**

Further two more Rain Water Harvesting (Ground Water Recharging) schemes in BGR Township have been implemented during 2016-17.

6.0

## APPENDIX –A5

### Quarterly Fugitive emission Data (1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)



FUG EMISSION DATA  
1ST QTR 18-19.docx



FUG EMISSION DATA  
2ND QTR 18-19.docx

8.0

APPENDIX-A6 (a)



Haz Waste Return  
FORM-4 (2017-18).doc

**9.0**

**Annexure –A6 (b)**

**Authorization from PCBA for Hazardous Waste  
(Management, Handling and Transboundary Movement Rules 2008)**



**Consent under HW  
Rules 2008.pdf**

**10.0**

**APPENDIX-A7**

**Detail of Waste water treatment and disposal system.**



**ETP Description.pdf**

11.0

**ANNEXURE-A8**

**Quarterly Noise Survey Data**

(1<sup>st</sup> April 2018 to 30<sup>th</sup> September 2018)

**HSE (ENVIRONMENT) DEPARTMENT**



**NOISE SURVEY DATA  
1ST QTR 18-19.docx**



**NOISE SURVEY DATA  
2ND QTR 18-19.docx**

## 12.0



**ANNEXURE-A9**  
**Rain Water Harvesting Data**

| <b>Status of Rainwater Harvesting</b> |   |                                |  |                        |
|---------------------------------------|---|--------------------------------|--|------------------------|
| Sl. No                                | Location  | Rooftop Area In M <sup>2</sup> | Volume of Rainwater harvesting potential (CUM) | Year of implementation |
| <b>Implemented</b>                    |   |                                |  |                        |
| 1                                     | Rainwater Harvesting at Manjeera Guest House  | 677                            | 1733   | 2008-09                |
| 2                                     | Rainwater Harvesting at Deoshri Guest House   | 581                            | 1487   | 2008-09                |
| 3                                     | Mandir Complex  | 833                            | 2132   | 2011-13                |
| 4                                     | MANAS GUEST HOUSE   | 639                            | 1636   | 2011-13                |
| 5                                     | BRPL VIDYALAYA  | 1361                           | 3484   | 2011-13                |
| 6                                     | DPS BLOCK-I   | 704                            | 1802   | 2011-13                |
| 7                                     | DPS BLOCK-II  | 1810                           | 4634   | 2011-13                |
| 8                                     | Artificial Recharge thru' TW # 3 Roof Top water from Canteen, Cycle/Scooter Shades, CISF bldg. etc. | 3134                           | 8023   | 2011-13                |
| 9                                     | Rainwater Harvesting from roof top area of Champa Club  | 1080                           | 3100   | 2013-14                |
| 10                                    | Rainwater Harvesting from roof top area of Refinery Club Cum Community Centre                       | 2833                           | 8132   | 2013-14                |
| 11                                    | Rain Water Harvesting at CISF ADM Building  | 825                            | 2368   | 2014-15                |
| 12                                    | Rain Water Harvesting at BGREU Office   | 275                            | 789  | 2014-15                |
| 13                                    | CISF Barrack  | 1050                           | 3013   | 2015-16                |
| 14                                    | BGR Community Hall  | 650                            | 1865   | 2015-16                |
| 15                                    | Gallery of Football Stadium (BGR Township)  | 988                            | 2529   | 2016-17                |
| 16                                    | Gallery of Volleyball Stadium (BGR Township)  |                                |  |                        |
|                                       | Total   | 17440                          | 46727  |                        |




## Screen Shot of IOCL Website upload of report

Link: <https://iocl.com/Talktous/SNotices.aspx>



# APPENDIX-A11

## HSE Organogram of IOCL-BGR



## ANNEXURE-A12

**Gazette Notification of BGR Quality Control laboratory (QC Lab)  
Approval under Environment (Protection) Act 1986**



**केन्द्रीय प्रदूषण नियंत्रण बोर्ड**  
**CENTRAL POLLUTION CONTROL BOARD**  
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय भारत सरकार  
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE GOVT. OF INDIA

C-11012/90/1998-Tech/

13209

November 29, 2018

Speed Post

To

✓ Sh H.K.Sarma  
Quality Control Manager  
Quality Control Laboratory  
Indian Oil Corporation Limited  
Bangaigaon  
P.O. Dhaligaon-783385  
Dist. Chirang Assam

**Sub: Notification of Government Analysts of Quality Control Laboratory of Indian Oil Corporation Limited Bangaigaon P.O. Dhaligaon-783385 Dist. Chirang Assam, in Govt. of India Gazette-reg.**

Ref: Your letter no.. Dated 23.04.2018  
Our letter no.: C-11012/90/1998 Tech/3256 Dated 20.07.2016

Sir,

Apropos above, it is to inform that the proposal of substitution of superannuated/transferred Government Analysts of Quality Control Laboratory of Indian Oil Corporation Limited Bangaigaon P.O. Dhaligaon-783385 Dist. Chirang Assam was approved in the 181<sup>st</sup> Board Meeting held on June 19, 2018 and afterward notified in the Govt. of India Gazette No. 439 Dated November 20, 2018 vide notification number Lega. 42(3)/8/ dated October 3, 2018. The copy of Gazette Notification is enclosed herewith for your reference and record please.

Yours Faithfully


(B.K. Jakhmola)

Scientist-E & Divisional Head  
Instrumentation Laboratory

16.0

Appendix-A13

Employees Occupational Health Check up Status



# 17.0

## Appendix-A14

### Flare system.

