

Ind-Coker^{AT®}

Residue Upgradation with Lower Coke Yield

Refineries all over the world are increasingly processing heavier crudes for maximization of refinery margins. As a result of this, Delayed Coking Units have gained importance for bottom of the barrel upgradation to improve profitability. However, high yield of low grade Coke from the process is a bottleneck in improving the refinery margin further.

To enhance profitability in thermal cracking process, IndianOil R&D has developed Ind-Coker^{AT} technology, for residue upgradation with lower Coke make & superior distillate yields in comparison to the conventional Delayed Coker technology. Apart from significant improvement in the refining margins, ease of integration with existing Delayed Coker unit and its implementation with minimum investment provide an additional advantage.

Salient Technology Features

- Technology can be offered for existing Delayed Coker Unit as well as for grassroots application
- ♦ Operational flexibility due to Dual mode operation (either Ind-Coker^{AT} or Coker mode)
- Refinery waste sludge can be processed for disposal

Major Benefits

- Reduction in Coke yield and increase in distillate yield compared to conventional Delayed Coker Unit
- ♦ Higher conversion of low-value residues to distillates with minimum capital investment
- Processing of wide range of feedstocks: Offers flexibility to enhance refinery margin by processing cheaper crudes

Commercial Experience

- ♦ Wide operating experience with commercial Delayed Coker Units
- Excellent technical support and troubleshooting expertise
- Commercially demonstrated in 3 MMTPA DCU in one of the IndianOil refineries (Coke yield reduction by ~ 5 wt% with corresponding middle distillate yield increase by ~ 4 wt%)



For more information, please contact:



Mr. Avinash Jain IndianOil R&D **Tel:** +91-129-2294396 **E-mail:** <u>inforndiocl@indianoil.in</u>