



PANIPAT REFINERY & PETROCHEMICAL COMPLEX

**CANDIDATES PROVISIONALLY SHORTLISTED FOR SKILL/PROFICIENCY/PHYSICAL TEST (SPPT)
FOR SELECTION TO NON-EXECUTIVE POSTS AGAINST ADVERTISEMENT NO. PR/P/40/(2017-
18)**

Date: 11/01/2018

Name of the Post : Jr. Engineering Assistant-IV(Mechanical-Fitter-cum-Rigger) : Post Code - 121					
Sl. No.	Roll No.	Sl. No.	Roll No.	Sl. No.	Roll No.
1	12100001	3	12100004	5	12100007
2	12100003	4	12100006		

Name of the Post : Jr. Engineering Assistant-IV(Production) : Post Code - 123					
Sl. No.	Roll No.	Sl. No.	Roll No.	Sl. No.	Roll No.
1	12300001	6	12300006	11	12300011
2	12300002	7	12300007	12	12300012
3	12300003	8	12300008	13	12300013
4	12300004	9	12300009	14	12300014
5	12300005	10	12300010		

NOTE

1	All the provisionally shortlisted candidates are advised to report for SPPT on 12/01/2018 at 10.00 a.m. at Gate No.1 , Panipat Refinery & Petrochemical Complex, Panipat, Haryana , failing which their candidature shall be rejected.
2	Shortlisted candidates are required to wear Industrial Safety Shoes at the time of SPPT.
3	"No Objection Certificate" needs to be produced by candidates already employed in Govt. / PSUs / Semi-Govt./ Autonomous Bodies to be allowed to appear for SPPT, failing which they will not be permitted to appear for SPPT.
4	All the shortlisted candidates are advised to carry copy of their Call letter alongwith valid I.D. Proof .
5	All the Shortlisted candidates are advised to bring self authenticated copies of all testimonials as mentioned in Advertisement (Checklist) along with all the original documents at the time of SPPT for verification, failing which their candidature shall be rejected.

ADVERTISEMENT NO. PR/P/40(2017-18)