

## Date: 30<sup>th</sup> Oct 2017

## Subject: Status of Environmental Clearance Conditions for MS quality upgradation and HSD quality up-gradation in Barauni Refinery

### Ref: Ministry's clearance letter no J-11011/15/2015 - IA II (I) dated 06.03.2017.

SN	Point	Status
А	Specific Conditions	
i.	M/s IOCL shall comply with standards/norms for Oil Refinery Industry notified under the Environment (Protection) Rules, 1986 vide G.S.R. 186(E) dated 18 <sup>th</sup> March, 2008.	<ul> <li>Please refer Annexure-1 for detailed status for compliance of standards/norms for Oil Refinery Industry notified under the Environment (Protection) Rules, 1986 vide G.S.R. 186(E) dated 18<sup>th</sup> March, 2008.</li> </ul>
ii.	Continuous on-line stack monitoring for $SO_2$ , NOx and CO of all the sacks shall be carried out.	<ul> <li>Continuous on-line stack analyzers for monitoring of SO<sub>2</sub>, NOx and CO have been installed and connected to CPCB server.</li> <li>Complied.</li> </ul>
iii.	The process emissions {SO2, NOx, HC (Methane & Non-methane)}, VOCs and Benzene from various units shall conform to the standards prescribed under the Environment (Protection) Act, 1986. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency of the pollution control device has been achieved.	<ul> <li>SO<sub>2</sub>, NOx, CO &amp; PM are monitored with online SO<sub>2</sub>, NOx, CO and PM analyzers.</li> <li>Process emissions from all units are monitored once in two months except SRU (which is monitored monthly) by MoEF approved external agency M/s Ecomen Laboratories Pvt. Ltd.</li> <li>Total SO<sub>2</sub> emissions from existing units at BR are less than the stipulated limit of 815 kg/hr.</li> <li>Complied.</li> </ul>
iv.	Leak Detection and Repair programme shall be prepared and implemented to control HC/VOC emissions. Focus shall be given to prevent fugitive emissions for which preventive maintenance of pumps, valves, pipelines are required. Proper maintenance of mechanical seals of pumps and valves shall be given. A preventive maintenance schedule for each unit shall be prepared and adhered to. Fugitive emissions of HC from product storage tank yards etc. must be regularly monitored. Sensors for detecting HC leakage shall be provided at strategic locations.	<ul> <li>Leak detection and repair programme is already in place at Barauni Refinery and same is carried out on quarterly basis.</li> <li>Preventive maintenance schedule for each unit is in place and same is strictly adhered to.</li> <li>Monitoring of fugitive emission from tank farm area is included in Leak Detection and Repair Programme.</li> <li>394 nos of hydrocarbon detectors are installed in strategic locations in the various process units, tank farm, and other plausible locations.</li> <li>Complied.</li> </ul>

		<b>T</b> 100 11 1 1
v.	SO2 emissions after expansion from the plant shall not exceed 815 kg/hr and further efforts shall be made for reduction of SO2 load	<ul> <li>Total SO<sub>2</sub> emission from existing units at BR is less than the stipulated limit of 815 kg/hr.</li> <li>SPU (Sulphur Pecovery Unit) unit consisting of 2 chains</li> </ul>
	through use of low sulphur fuel. Sulphur recovery units shall be installed for control of H2S emissions. The overall sulphur recovery efficiency of Sulphur recovery unit with tail gas treating shall not be less than 99.9%.	• SRU (Sulphur Recovery Unit) unit consisting of 2 chains of capacity 40 MT/day of Sulphur production each is installed at Barauni Refinery.
		<ul> <li>As per norms for Oil Refinery Industry notified under the Environment (Protection) Rules, 1986 vide G.S.R. 186(E) dated 18<sup>th</sup> March, 2008, existing SRU installed in the refinery should have 98.7% sulphur recovery and Barauni Refinery complies this standard.</li> </ul>
		• New SRU envisaged in upcoming project (capacity expansion) will be installed with overall sulphur recovery efficiency of min 99.9%.
		· Complied.
vi.	As proposed, record of sulphur balance shall be maintained at the Refinery as part of the	• Sulphur balance record is being maintained as a part of Environmental data.
	environmental data on regular basis. The basic component of sulphur balance include sulphur input through feed (sulphur content	· Complied.
	in crude oil), sulphur output from Refinery	
	through products, byproduct (elemental sulphur), atmospheric emissions etc.	
vii.	Flare gas recovery system shall be installed.	• Flare gas recovery system is installed and operational in the refinery.
		· Complied.
viii.	Ambient air quality monitoring stations, [PM10, PM2.5. SO2, NOx, H2S, mercaptan, non-methane-HC and Benzene] shall be set up in the complex in consultation with State Pollution Control Board, based on occurrence	• Five nos. of offline ambient air quality monitoring stations (four in refinery and one in township) and three nos. of continuous ambient air quality monitoring station has been provided at strategic locations at BR for monitoring of ambient air quality.
	of maximum ground level concentration and down-wind direction of wind. The monitoring network must be deiced based on modeling exercise to represent short term	• Ambient air quality is checked twice in a week in five nos. of offline ambient air quality monitoring stations as per MoEF standards 2009.
	GLCs.	· Complied.
ix.	The total water requirement from artesian wells after expansion of proposed project	• Average fresh water requirement for 2016-17 is 632 m <sup>3</sup> /hr which is within the allowable limit of 651m <sup>3</sup> /hr.
	shall not exceed 651m <sup>3</sup> /hr and prior permission shall be obtained from the competent authority.	$\cdot$ The fresh water requirement post project shall be maintained within 651 $m^3/hr.$
х.	As proposed, Industrial effluent generation shall not exceed 497 $m^3/hr$ after proposed expansion and treated in the integrated effluent treatment plant. The plant shall be	$\cdot$ Industrial effluent generation for the year 2016-17 is 433 m <sup>3</sup> /hr which is within the allowable limit of 497 m <sup>3</sup> /hr and is treated in the effluent treatment plant of the refinery.
	based on Zero Liquid Discharge and as proposed RO to be installed within the plant. Treated effluent shall be recycled/reused	$\cdot$ Industrial effluent generation post project shall be maintained within 497 $m^3/hr.$
	within the factory premises. Domestic sewage shall be treated in sewage treatment	· Zero liquid discharge is being maintained at Barauni Refinery except during heavy rainfall, when excess surface run off may have to be allowed to flow into

	plant (STP).	Refinery owned pit (Burrow Pit) adjacent to refinery premise in the West.
		<ul> <li>Treated effluent is being reused for following purpose in the refinery:</li> <li>Cooling Tower makeup water</li> <li>Fire water make up</li> <li>Coke cutting water</li> <li>Make up water for Eco Ponds</li> <li>Horticulture in Eco park</li> </ul>
		• Domestic sewage is treated in biological treatment plant of the refinery.
xi.	Automatic mechanical Oil catchers/oil traps shall be provided at all possible locations in rain/storm water drainage system inside the factory premises.	<ul> <li>Oil catchers have been constructed at following strategic locations of the refinery: <ul> <li>West of AVU-III</li> <li>West of RFCCU</li> <li>South of DHDT</li> <li>East of Coker A</li> <li>North of Coker A</li> <li>North west corner of Stores</li> <li>Final drain going to Burrow Pit.</li> </ul> </li> <li>Oil containment booms have also been installed at 3 nos of strategic locations in the refinery.</li> </ul>
		<ul> <li>Oil collected/trapped by oil catcher and oil containment booms are transferred to ETP mechanically through gully suckers.</li> <li>Complied.</li> </ul>
xii.	The oily sludge shall be subjected to melting pit for oil recovery and the residue shall be bio-remediated. The sludge shall be stored in HDPE lined pit with proper leachate collection system.	<ul> <li>RCC pit for storage of Oily Sludge is in place and mechanized skid process has been deployed for better recovery of oil from oily sludge in place of melting pit. Presently M/s Balmer Lawrie is engaged for this job.</li> <li>Residual oily sludge is bio-remediated in HDPE lined pit.</li> </ul>
		· Complied.
xiii.	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESR) based on Public Hearing issues and item wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Ranchi.	<ul> <li>A total of Rs 3 Crore has been allocated for year 2017-18 for CSR/ESR activities. The detailed plan for expenditure of 1.2855 Cr is enclosed as Annexure-2. The plan for balance expenditure is under approval.</li> </ul>
xiv.	Green belt should be developed in 33% of the plot area to mitigate the effect of fugitive emission all around the plant in consultation with DFO as per CPCB guidelines. Thick green belt around factory premises should be ensured.	<ul> <li>Total plot area of the refinery including BTP: 887.83 acres.</li> <li>Green belt area in Refinery: 148.39 acres.</li> <li>Green belt area in Refinery Township: 82.19 acres.</li> <li>Total green belt area: 230.58 acres.</li> <li>In view of unavailability of space within the refinery premises, scope for extensive tree plantation is limited. However, tree plantation is being taken up both in refinery and township at available spaces. 6000 nos of tree</li> </ul>

		plantations have been planted during 2016-17. The district
		authority (Forest department) is being approached for development of additional green belt area.
В	General Conditions	
i.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	<ul> <li>Stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority are being followed.</li> <li>Complied.</li> </ul>
ii.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	<ul> <li>Prior approval of ministry would be taken before carrying out any expansion or modification of the plant if required.</li> <li>Complied.</li> </ul>
iii.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	<ul> <li>Five nos. of offline ambient air quality monitoring stations (four in refinery and one in township) and three nos. of continuous ambient air quality monitoring station has been provided at strategic locations at BR for monitoring of ambient air quality which are located both in upwind as well as downwind direction.</li> <li>Complied.</li> </ul>
iv.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.	<ul> <li>Ambient air quality is checked twice in a week in five nos. of offline ambient air quality monitoring stations as per the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009.</li> </ul>
		· Complied.
v.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules viz. 75 dBA (day time) and 70 dBA (night time).	<ul> <li>The ambient noise levels from existing facilities conform to the standards prescribed under standards prescribed under Environment (Protection) Act, 1986 Rules.</li> <li>For personnel working in the proximity of high noise generating equipments, appropriate PPEs are used, and exposure is controlled through job rotation, education and awareness.</li> <li>Adequate noise control measures shall be taken in new facilities in the project.</li> <li>Complied.</li> </ul>
vi.	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	<ul> <li>Rain water harvesting has been implemented at 14 buildings of Barauni Refinery in which water collected from roof top of the refinery is recharged to ground water. For year 2017-18, 10 nos of buildings have been planned for rain water harvesting.</li> <li>Sterm water drain of the refinery has been routed to ETP.</li> </ul>
		• Storm water drain of the refinery has been routed to ETP and storm water is being reused in refinery operation after

vii.	Training shall be imparted to all employees on Safety and health aspects of chemical handling. Pre- employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemical shall be imparted.	<ul> <li>treatment along with ETP water except during heavy rainfall, when excess surface run off may have to be allowed to flow into Refinery owned pit (Burrow Pit) adjacent to refinery premise in the West.</li> <li>Complied.</li> <li>Training is continuously imparted to all employees on chemical handling.</li> <li>Pre – employment medical examination of all employees are carried out before joining the organization.</li> <li>Routine periodical medical examination as per statutory requirement is carried out on regular basis.</li> <li>Complied.</li> </ul>
viii.	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	<ul> <li>Presently Environmental Monitoring of all required parameters in Refinery is carried out periodically. The existing practice shall be extended for the proposed project as per EIA/EMP report.</li> <li>Recommendations of Quantitative Risk Analysis shall be implemented along with project execution.</li> </ul>
ix.	The company shall undertake all relevant measures for improving the socio economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	<ul> <li>Being done based on the drawn up schedule as part of CSR. CSR plan is finalized in consolation with mukhiyas of surrounding villages.</li> <li>Complied</li> </ul>
х.	The company shall undertake eco- developmental measures including community welfare measures in the project area for the overall improvement of the environment.	<ul> <li>Being done based on the drawn up schedule as part of CSR.</li> <li>Complied</li> </ul>
xi.	A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	<ul> <li>BR has a full-fledged environment protection cell and a well equipped dedicated pollution control laboratory established back in 1975.</li> <li>Complied</li> </ul>
xii.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds to earmark for environment management/pollution control measures shall not be diverted for any other purpose.	<ul> <li>Being complied.</li> <li>In addition to one time investment in facilities for combating pollution, separate funds are allocated for specific activities such as environment monitoring, operation and maintenance of effluent treatment plant, oil recovery from oily sludge through mechanized skid process and studies related to environment etc.</li> </ul>
xiii.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while	• The instant project being environment project was exempted from public hearing. Further, no suggestions were received from Panchayat, Zila Parisad / Municipal Corporation, Urban local Body and the local NGO while processing the proposal. Accordingly, copy of Environment Clearance letter has not been sent to any of

		· · · · · · · · · · · · · · · · · · ·
	processing the proposal.	the above mentioned authorities against suggestions.
		· Complied
xiv.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e- mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	<ul> <li>Being complied.</li> <li>A six monthly compliance report and the monitored data are submitted regularly.</li> <li>We are communicating with RHQ for uploading of e-Six monthly compliance report. It is expected by this year end.</li> </ul>
xv.	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as its mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	<ul> <li>Environment Statement for each financial year is submitted to Bihar State Pollution Control Board. Same shall be sent to Regional Office of MoEF&amp;CC by e-mail.</li> </ul>
xvi.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <u>http://moef.nic.in</u> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	<ul> <li>The information regarding accord of Environment clearance for the subject project has been advertised in two local newspapers. Copy enclosed as Annexure-3.</li> <li>Complied.</li> </ul>
xvii.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	<ul> <li>Noted for Compliance.</li> </ul>

## Annexure-1

## Status and Action Plan for Compliance of Revised Emission and Effluent Standards 2008 at Barauni Refinery

DATE: 30th September 2017

## Scehdule -I: Petroluem Oil Refinery

## A. Effluent Discharge

SN	Standard	BR status and action plan
1	Treated Effluent Quality	> COMPLIED.

## **B.** Emissions

SN	Standard	BR status and action plan
2	H <sub>2</sub> S in Fuel Gas	> COMPLIED.
3	$SO_2$ Emissions	> COMPLIED.
4	NO <sub>x</sub> Emissions	> COMPLIED.
5	CO Emissions	> COMPLIED.
6	Particulate Matter (PM) Emissions	<ul> <li>&gt; Barauni Refinery processes more low sulphur crude in recent years. Only about 5% HS crude processing takes place. As a result internal fuel oil quality has been improved w.r.t emission of particulate matter. Further, particulate matter analyzers have been installed in all stacks of refinery and connected to CPCB server since June-16. The online analyzer data available now help us fine tuning fuel firing and optimization of gas mix amongst various furnaces and the controlling the PM parameters within the statutory limit.</li> <li>&gt; COMPLIED.</li> </ul>

7	Nickel and Vanadium (Ni+V) Emissions	> COMPLIED.
8	Sulphur Content in Liquid Fuel	> COMPLIED.
9	Continuous Monitoring System for SO <sub>2</sub> & NO <sub>x</sub> emissions	> COMPLIED.
10	Opacity of Flue Gas ex FCCU Regenerators	> RFCCU was commissioned at Barauni Refinery along with flue gas scrubbing technology supplied by M/s Belco, USA. In the Belco unit, the flue gas is scrubbed with water & diluted caustic solution (<0.5 % concentration by wt.) to remove SOx and particulate matter. PM level in flue gas is less than 30 mg/Nm3. High volume of condensed water vapor generated during water scrubbing of flue gas escapes through the BELCO stack as whitish plume. Opacity meter under such condition is not considered relevant as it will not be effective due to high moisture content in flue gas. > Further, PM analyzers have been installed in RFCCU stack through which particulate matter ex- RFCCU stack is monitored, which is closely akin to monitoring of opacity in flue gas. Therefore opacity meter installation at RFCCU is not planned.
11	Sulphur Recovery from SRU	> SRU at Barauni refinery meets the revised standard. COMPLIED.
12	H <sub>2</sub> S emissions from SRU	> SRU at Barauni refinery meets the revised standard. COMPLIED.

## C. Fugitive Emission

SN	Standard	BR status and action plan
13	Storage tanks with capacity between 4 to 75 m3 and TVP of more than 10 kpa	> Not Applicable.
14	Storage tanks with capacity between 75 to 500 m3 and TVP of 10 to 76 kpa	

15	Storage tanks with capacity of more than 500 m3 and TVP of 10 to 76 kpa	> Storage tanks of Crude, MS & SRN have TVP of 10 to 76 kpa. All such tanks are IFRT or EFRT. COMPLIED.	
16	Storage tanks with capacity of more than 500 m3 and TVP of more than 76 kpa	> Not Applicable	
17	Provision of secondary seals in floating roof tanks	> All such tanks at Barauni Refinery are equipped with double seal. COMPLIED.	
18	Emission control in Rail Tank Wagon/ Road Tank Truck loading for Gasoline and naphtha for VOC reduction	<ul> <li>&gt; Barauni Refinery complies most of the revised standards for petroleum refineries as notified in Gazette india on 18th March'08 except vapor recovery system in tank wagon/tank truck. For VOC reduction of 99 and emission control to 5 gm/m3 in case of Gasoline and Naphtha loading, VOC recovery system at Load Gantry would be required. However, this would also call for implementation of necessary change in design of railway tank wagons to facilitate bottom load &gt; Accordingly, Barauni Refinery had earlier requested to CPCB vide letter dated 10.04.2009 &amp; 22.01.2</li> </ul>	
19	Equipments leak and LDAR programme	COMPLIED.	
D. E	D. Emission Standards for VOC from Wastewater Collection and Treatment		
	VOC Collection &	> VOC treatment system as a part of ETP modernization project has been installed and commissioned.	

	20	VOC Collection & Treatment System	<ul> <li>&gt; VOC treatment system as a part of ETP modernization project has been installed and commissioned.</li> <li>&gt;COMPLIED.</li> </ul>
--	----	--------------------------------------	--

## Scehdule -VI, Part C: Petroluem Oil Refinery

SN	Standard	BR status and action plan
21	Quantum limit for discharge of total effluent	> COMPLIED.
22	Limit of quantity of effluent discharged	> COMPLIED.

## CSR PROJECT DETAILS FY 2017-18

Project No	Details of Projects	Amount ( Rs Lacs)
1	Nursing Training Scholarships	1.35
2	Construction of RO Plants in four villages of BR	39.13
3	Barauni Refinery Dinkar Uchch Shiksha Sahayata Yojana' under CSR scheme of Barauni Refinery for the FY 2017-18	20.00
4	Barauni Refinery Shri Krishna Singh Chhatravritti Yojana' under CSR scheme of Barauni Refinery for the FY 2017-18	15.00
5	Project for Organizing Health Check up Camps in nearby villages of BR	18.30
6	Providing Dual Desk Benches in schools located in Chakballi, Paspura & Itwa Villages nearby of Barauni Refinery	9.31
7	Skill Development Centre for Welder, Electrician, Fitter, Plumbing & Masonry	25.46
8	Total	128.55

### Copy of advertisement regarding receipt of Environment Clearance in two local newspapers

TINDUSTAN TIMES DATINA WEDNESDAY, MAY 17, 2017 -----

# Triple talag a matter of faith for 1,400 yrs: Sibal

ain court Likens divorce law to belief about Ram's birthplace

### Etato Shire

SPADULE TIL AT INTO MOST Contribute of the Standard Program of the Standard States of State Influenceprens form, at sing to uses both preserved for 1,40 retroard over marker of both in like Seer fields with the see Straburg departs over training a sample for of the set of the see Sample for the second set of the Astra between two may could also here the sole of the set of petters formaling account of the callower she down pre-tra the callower she down pre-tra the second set of the set of petters formaling account of the second set of the set of the second second set of the set of the second second set of the set of the second s

englis. Fist Second Maxim were have any fold the court the coston was any fold the court the coston was

The control of the control of control of the control of control of the control of t

struistic

Instancession ware Mr. irre, who were a minority double protected. Scient [Medim wants have

the out of the cance on the second of the second se sorry begin three accel-spon-lendeninginguality

· RealiShel

State was present in and

to a super to further with a super-ing and super-super-ingents. Since such a super-index of a superior superior super-training and the superior super-training and superior super-training and superior super-training and superior super-training and super-superior superior super-training and super-superior super-superior super-superior super-superior super-super-super-Instition lest LAR vects. 2184

na the data has been sub-marked black and the second method and second the second method and second the second William Schelart and Sec-matical Apollogy, then the matter of bith and there is no Configuration (configuration)

the skiller deathers t inclusion of the second of the forverscheitzahlte Betrach Prophetikitaarnal

The Centre told the prort, winch is building during the first way Ing in the lose, on Mondey it would be grant the any low for NEXITY IS THE IS ALL SATURE dauking finiter Tricting

antionist the powerful regional

oing views dat takkt non forbrentaributes' for too tyligentics of the scane-

uchdofographen n 217more

riteNayer som sin Bilar Bower, mori y stor latrie reet SJD späxsperson Natasj

An approximitation story their furger control merchanization the returners to "high all control

### SHARIA WAS PERSONAL AW AND NOT SUBJECT TO FUNDAMENTAL RIGHTS SIBAL SAID ABOUT THE ISLAMIC EGAL AND MORAL CODE

Marting Strekneron to wrsh, wy Santi M. Alerensis Islama gitedwrei: Utiliwia rests and a marriagaby after highs wordfalls; first ning 1.68 releven vie

Attorney gareral Musul Robuids of the out of the court's Job to the entert the Grave and a should consider the constitutoral saidly of right his par-net redrift, and its comming with her the cartors was farde-ments' sopration photon.

The preservent's high ha new low item dresses her versal e processilo des Loci Musian personal la wafa India dial ary new gal istinya ID "Shar aroa" hela ha estaria est ofaet envi assio controlation, e onlighter agricultures of, obplicture adriverses

Taxonalty's top in a tiker classed with the construction presentation should facial brack ervennt in Souditi on a mass static topicities wa 'os-m tia congenerar', sering to Proving mented station i Polyme (suc)

### FIR: Victim kin allege death in custody, block NH 30 dowi

### National Maria

with they are dispetencedialost of allocator iterative its mightest blocked Kational Highway. Sharak near the Synchronized in spantaneous en-thanday. They alloc bounded window game of several white window game of several white the paties, demanding in resolute arresticible again again disking the paties. taldout v'alvouve histar-

Tredmand Ctre La Dici at had field using methods for Batta Madata, Golicas Fregita (2006) in Minibay Freedor automby dicast Cost Bind was

Linking balanci and the second sec

all age that her hubbend was an appendix in policy endedy. Therewere an appendix endedy in body where he was arrested by the figure policy in blay it. Fast, when we say his body or Monday if wore infany marks in

### from pageone

### Housing

ary orbitelysecretariat Injech Webrortase// theresizes there applober 1. Scruelussely control y water sectors in

Curles the policy, sale agencles organed in construction of transmittlevelopmentolycols.



his face, which proved that beencontradualkileduapoleo rantody during interrogation "she said. The road blackwie was lifes:

effer some palice affores routed there and accured to take action against the guilty performer. Station has as off cert(\$100), expansionless statist Balendra Private and the satisfies of the death would be leave rough filter getting the position ten report. The SEC, however, said, blink dializerane closimentation

**FMCHORNER** 

land und more

including BSIEI, softan lagal trobes and planning orathori (iss, word) have to allocate Stri-aPhoplateand branes for KWS and Disections in all projects have wing 400 square instrumed philsachtro

"Of the total all continents is will be earling watch of Swand

### I-T raids

#### York winder a departy of the many wr of Binner

thoty page un

We of Rate. Three minister Rust Starker transoft and effected that these interactions ensure theory of the theory of the set flow database band where they database worth-milway minister, and cared Educ third minister White Martur frittibe settice against Lina its hoof chatped over shell antiderfile saising Lainard re-famit mentary works Bjølans. Iz Belti

Arlan 's sounded rive 178 income transportment and CH. El Espartment the strong of the a arply the B SUT and CHE have been

Nitish


when he had a linear commu landaged acceletion of sizets worth Red 200 monets 300 must Late Present and the family, through shall comparise at throughout the

The mether relates a set we ser-an traffictive departmentionation Out to wave competentic listication of the wave competentic listication of the set of t evidence to warrant an impetry evolution extract or topolog, be first citid in the presence of Prand's for and deputy the Trigothy France Value affective conclusion of his work's Low Service programme.

CAMADA AND A FURTHER AND A STATE AND A STA Thesis is districts are Vanlali. Nuzefurjar, Starruch. Shedar, East Christian and West Charpener

Caster self-becompany had on only size each remains to be commend Under they, making wandard rendtion Toff he difficult for us for any interesting our works," he sulf assume the source of the standard descention of the source of the sour local contractor they payment against the work force.

IndianOil citi yi mai yini sonortala In Uyintan (Bana at Ta' any CI 4 Facility PUBLIC NOTICE



### the Files and police of overving spall natebing a car at observables er a false mu Realingthicks sharm.

hind

ANAKATAL

NUMBER

Micomepor torb (Puin

vi Mengelta victim whole

is amount for

quantly unve alling Kurn ander judina **Polleo said** tarsal after 5 Latin Brei solut stperi Where Karner ling for rote as Samilya pe Samilya Mish

term, sold Kr is nearly

st for Lis Manyates. 'As per t satedovolaj allo anto 15



