

#### Indian Oil Corporation Limited (Pipeline Division)

Type 5 Quarter, BSNL Colony, Near Pratap Heritage Marriage Garden, Nehru Nagar, Rewa-486001 (M.P.)

#### NOTICE FOR HIRE OF STORAGE SPACE

Indian Oil Corporation Ltd. (Pipelines Division) is seeking application in Two Bid System i.e. Technical Bid (Part-I) and Price Bid (Part-II) from interested owners who are willing to hire their storage space/warehouse for storing the materials for the City Gas Distribution Project at District Rewa for 2 year which can be further extended to 1 year or part thereof.

Land Requirement	Location of land		
Approx. 1000 m² open area     Approx. 800 m² area should have shed with PCC flooring.     Out of 800 m² total shed area, about 100 m² should have lock and key provision.	Required storage space should preferably be located either within 10 KM radius of Rewa city on all-weather motorable road such as Semaria-Rewa-Govindgarh road SH-9, Satna-Rewa-Sidhi Road NH-39, Rewa-Sirmaur MDR, Rewa Silpara Bypass, or anywhere between Rewa to IOCL CGS, Raghunathganj on NH-30 / NH- 135. Open and covered storage area should be in same premise.		

#### Pre-Requisites:

- Premises should have proper boundary wall and gate. Gate should have
- Type of fencing: boundary wall or wired fence of height 2.5 M to 3 M from
- The bidder should have ownership or full authority to lease the offered property.
- Land should have all weather access & suitable for movement of heavy vehicles like trailer, hydra etc.
- Land should have provision for water supply & storage, power supply, 5. lights, toilet and guard room.
- Open land area should be suitable for material storage for all-weather conditions and rainwater should not accumulate in the area.
- Minimum closed room height 10ft; Shed height: 6m
- Covered / closed area floor: PCC
- Closed area should be such that the materials stored in it shall be 9. protected from rain etc. and shall be durable from all abnormal weathers.
- Offered area should be free from high tension overhead power lines, oil/ water pipelines/ canals/drainages/ public road / railway lines / crematoriums / burial grounds/ religious structure etc.

#### Interested land owners are required to apply with the following details in two bid system as mentioned below:

Technical Bid (Part-I):To be submitted in separate envelope consisting of following documents other than the cost offered for the land:

11. Name of land owner 2) Father's Name 3) Address: Village, Post office, Police Station, Pin code, District 4) Telephone No. 5) Land Details - Mouza, Plot No. Khasra no, Plot area(in Sq.m). P.S., District 6) Photo copies of documents of the said land along with Title deed/Patta/Revenue Receipts/Latest nonencumbrance certificate.

Price Bid (Part-II): To be submitted in separate envelope consisting of:

12. Cost of offered land (Cost per Square feet as well as Total cost)

Above two envelopes containing the Technical Bid (Part-I) and Price Bid (Part-II) should be put together in a large envelope duly sealed with Name & Address.

The cost offered by the party shall not appear in any manner in the Part-I (Technical Bid). The expression of Interest would be liable for rejection if cost appears in any manner in Part-I (Technical Bid).

The application with above details should reach our office within fifteen days from the date of publication in newspaper at the following address in closed/sealed envelope:

Indian Oil Corporation Limited (Pipeline Division), City Gas Distribution Office, Type-5 Quarter, BSNL colony, Near Pratap Heritage Marriage Garden, Nehru Nagar, Rewa 486001, MP



इंडियन ऑयल कॉर्पोरेशन लिमिटेड (पाइपलाइन डिवीजन) टाइप 5 क्वार्टर, बीएसएनएल कॉलोनी, प्रताप हेरिटेज मैरिज गार्डन के पास, नेहरू नगर, रीवा-486001 (म.प्र.)

#### भंडारण के स्थान के लिए सचना

इंडियन ऑयल कॉरपोरेशन लिमिटेड (पाइपलाइन डिवीजन) इच्छुक मालिकों से दो बोली प्रणाली अर्थात तकनीकी बोली (भाग- I) और मूल्य बोली (भाग- II) में आवेदन मांग रहा है, जो सामग्री के भंडारण के लिए अपने भंडारण स्थान / गोदाम को जिला रीवा में सिटी गैस वितरण परियोजना के लिए किराए पर 2 वर्ष के लिए (जिसे 1 साल या उससे कम के लिए बढाया जा सकता है) देने को तैयार हैं।

भूमि की आवश्यकता	भूमि का स्थान
तगभग 1000 मी <sup>2</sup> क्षेत्र     तगभग 800 मी <sup>2</sup> क्षेत्र में सीमेंट के     फर्श के साथ शेड होना चाहिए।     2.1 कुल 800 मी <sup>2</sup> क्षेत्र में से लगभग     100 मी <sup>2</sup> में ताला और चाबी का प्रावधान     होना चाहिए।	आवश्यक भंडारण स्थान अधिमानतः रीवा शहर के 10 किलोमीटर के दायरे में सभी मौसम मोटर योग्य सड़क जैसे सेमरिया- रीवा-गोविंदगढ़ रोड एसएच -9, सतना-रीवा- सीधी रोड एनएच -39, रीवा-सिरमौर एमडीआर, रीवा सिलपारा बाईपास, या रीवा से आईओसीएल सीजीएस, रघुनाथगंज के बीच कहीं भी एनएच -30 / एनएच -135 पर स्थित होना चाहिए। खुला और ढका हुआ भंडारण क्षेत्र एक ही परिसर में होना चाहिए।

- 1. परिसर में उचित चारदीवारी और गेट होना चाहिए। गेट पर ताले की व्यवस्था होनी चाहिए।
- 2. बाड़ लगाने का प्रकार: जमीनी स्तर से 2.5 मीटर से 3 मीटर ऊंचाई की चारदीवारी या तार वाली बाड़।
- 3. बोली लगाने वाले के पास प्रस्तावित संपत्ति को पट्टे पर देने का स्वामित्व या पूर्ण अधिकार होना
- 4. भूमि हर मौसम में उपलब्ध होनी चाहिए और ट्रेलर, हाइड्डा आदि जैसे भारी वाहनों की आवाजाही के लिए उपयुक्त होनी चाहिए।
- 5. भृमि में जल आपूर्ति एवं भंडारण, बिजली आपूर्ति, रोशनी, शौचालय और गार्ड रूम का प्रावधान होना
- 6. खुला भूमि क्षेत्र सभी मौसम की स्थिति के लिए सामग्री भंडारण के लिए उपयुक्त होना चाहिए और क्षेत्र में वर्षा जल जमा नहीं होना चाहिए।
- 7. न्यूनतम बंद कमरे की ऊंचाई 10 फीट; शेड की ऊंचाई: 6 मी
- 8. ढका हआ/बंद क्षेत्र फर्श: पीसीसी
- 9. बंद क्षेत्र ऐसा होना चाहिए कि उसमें रखी सामग्री वर्षा आदि से स्रक्षित रहे तथा सभी असामान्य मौसमों से टिकाफ रहे।
- 10. प्रस्तावित क्षेत्र हाई टेंशन ओवरहेड बिजली लाइनों, तेल / पानी की पाइपलाइनों / नहरों / जल निकासी / सार्वजनिक सडक / रेलवे लाडनों / श्मशान / कब्रिस्तान / धार्मिक संरचना आदि से मक्त होना चाहिए।

#### इच्छक भिम मालिकों को निम्नलिखित बोली प्रणाली में निम्नलिखित विवरण के साथ आवेदन करना आवश्यक है:

तकनीकी बोली (भाग- I): निम्नलिखित दस्तावेजों के साथ (जमीन के लिए दी जाने वाली कीमत के अलावा) अलग लिफाफे में जमा करना है।

1) जमीन के मालिक का नाम 2) पिता का ना म 3) पता: गांव, डाकघर, पितस स्टेशन, पिन कोड, जिला 4) टेलीफोन नंबर 5) भूमि का विवरण - मौजा, प्लॉट नंबर खसरा नं, प्लॉट क्षेत्र (मी $^2$ ), थाना । , जिला 6) शीर्षक विलेख / पट्टा / राजस्व प्राप्तियों / नवीनतम गैर-संलिप्तता प्रमाण पत्र के साथ उक्त भूमि के दस्तावेजों की फोटो प्रतियां।

मूल्य बोली (भाग- II): अलग लिफाफे में प्रस्तृत की जाएगी, जिसमें निम्नलिखित शामिल हैं: 1) प्रस्तावित भृमि की कीमत (कीमत प्रति वर्ग मीटर के साथ-साथ कुल कीमत) तकनीकी बोली (भाग- I) और मूल्य बोली (भाग- II) वाले दो लिफाफों को नाम और पते के साथ विधिवत सील किए गए एक बड़े लिफाफे में एक साथ रखा जाना चाहिए।

पार्टी दवारा दी जाने वाली लागत भाग- । (तकनीकी बोली) में किसी भी तरह से प्रकट नहीं होगी। यदि भाग-। (तकनीकी बोली) में किसी भी तरीके से कीमत प्रकट होती है, तो इच्छा की अभिव्यक्ति के अस्वीकृति के लिए उत्तरदायी होगी।

उपरोक्त विवरण के साथ आवेदन पत्र बंद / सील लिफाफे में निम्नलिखित पते पर समाचार पत्र में प्रकाशन की तारीख से पंद्रह दिनों के भीतर हमारे कार्यालय तक पहंच जाना चाहिए:

इंडियन ऑयल कॉर्पोरेशन लिमिटेड (पाइपलाइन डिवीजन), सिटी गैस वितरण कार्यालय, टाइप-5 क्वार्टर, बीएसएनएल कॉलोनी, प्रताप हेरिटेज मैरिज गार्डन के पास, नेहरू नगर, रीवा 486001, मप्र

### Annexure-B3

# Evaluation method for land offers for development of City Gate Station and other CGD facilities having area less than equal to (≤) 5000 Sq. meter

Marking as per below shall be adopted for evaluation of offered land and this shall be part of Fol/display in notice Board of Panchayat or Municipality. The marking scheme shall be as per below (Marks allotted for all type of land based on few technical parameters – 100 marks)

	A. Distribution of marks for different technical parameters are as per following  Marks Allotted Marks Obtained
1.	Availability of Electricity +5/0 +
	(Marks to be allotted 5 for availability of Electricity within 50m of the plot/plots or Zero for beyond 50m.)
2.	Availability of approach Road +21/0 +
	(Marks to be allotted 21 for availability of motorable access Road connecting to the plot/plots or Zero for no access Road/additional land required for access Road)
3.	Non-Availability of overhead HT electric line overhead power lines, oil/water pipelines /canals /drainages/public Roads /railway lines (free from & not adjacent to) /crematoriums (free from & not adjacent to) /burial grounds (free from & not adjacent to)/religious structure etc.
	(Marks to be allotted 21 for non-availability of above facilities as above and Zero for availability)
4.	Distance of land from Tap-off point  (Following marks to be allotted for land parcel with distance from Tap-off point:  a) Adjacent land from Tap-off (incl. across the approach road) point = 40
	<ul> <li>b) Land up to (≤)200m from Tap-off point = 35</li> <li>c) Land more than (&gt;) 200m and less than equal to (≤) 1000m from Tap-off point = 30</li> <li>d) Land more than (&gt;) 1000m and less than equal to (≤) 2.5 km from Tap-off = 25</li> <li>e) Land more than (&gt;) 2.5km and less than equal to (≤) 4.0 km from Tap-off = 21</li> <li>f) Land more than (&gt;) 4.0km from Tap-off point = 18</li> </ul>
5.	Extent of land filling in the plot  (Marks to be allotted 3 for filling less than 100cm or Zero for filling more than 100cm)

Aller

p Any -

Lhl

19 | Page

Mh

## Policy Guidelines for purchase of land in Pipelines Division

6.	Technical suitability rating by PJ-CGD based on shape, size and degree of suitability to Codal	+10/-	+
	requirement to accommodate facilities (Pro rata marking to be allotted by PJ-CGD)		*
	Total marks shipped in Taskwisel sertion		
	Total marks obtained in Technical section	+ 100	+

#### Note:

- Except point no. 4 & 6, either full marks or zero marks to be given.
- For point no. 4, marks between zero and maximum (40) can be awarded as per the conditions specified
- For point no. 6, pro rata marks can be awarded between 0 to 10

Ab Anya

H

201

20 | Page

Appling